

12/21/2022 1:50 PM

KAREN E. RUSHING

CLERK OF THE CIRCUIT COURT
SARASOTA COUNTY, FLORIDA

CSC

Receipt # 2957868

This instrument was prepared by and
upon recording should be returned to:

Lindsay C. Whelan
Kutak Rock LLP
P.O. Box 10230
Tallahassee, Florida 32302

**AMENDED AND RESTATED NOTICE OF ESTABLISHMENT OF THE
WEST VILLAGES IMPROVEMENT DISTRICT UNIT OF DEVELOPMENT NO. 1¹**


PLEASE TAKE NOTICE that pursuant to that certain i) *Agreement Regarding the Inclusion of Certain Real Property in Unit of Development No. 1 (Diocese Property and Hospital Property)*, dated July 14, 2022 by and between the West Villages Improvement District (the “District”), Manasota Beach Ranchlands, LLLP, and Main Street Ranchlands, LLLP, and ii) *Agreement Regarding the Inclusion of Certain Real Property in Unit of Development No. 1 (Pine Street Property)*, dated July 14, 2022, by and between the West Villages Improvement District (the “District”), DD Sunglow Blvd, LLC, Rodney A. Short, Widewaters Magnum 2020 Company, LLC, American Equities Partners, LLC, WP Venice LLC, Fulbright Holdings LLC, Twenty Three Realty LLC, Main Street Ranchlands, LLLP, Toll Southeast LP Company Inc., Manasota Beach Ranchlands, LLLP, and Lennar Homes, LLC, the District has amended the property located within its “Unit of Development No. 1” (“Unit No. 1”), within its boundaries. The legal description of the lands encompassed within Unit No. 1, after amendment, is attached hereto as **Exhibit A**. The District is a special-purpose form of local government established pursuant to and governed by Chapter 2004-456, *Laws of Florida*, as amended (the “Act”). More information on the powers, responsibilities, and duties of the District may be obtained by examining the Act, or by contacting the District at:


West Villages Improvement District
c/o Special District Services, Inc.
2501 Burns Road, Suite A
Palm Beach Gardens, Florida 33410
Phone: 561-630-4922

¹ This *Amended and Restated Notice of Establishment of the West Villages Improvement District Unit of Development No. 1* replaces that certain *Notice of Establishment of the West Villages Improvement District and Its Unit of Development No. 1*, recorded in the Official Records of Sarasota County, Florida as Instrument No. 2004223490.


THE WEST VILLAGES IMPROVEMENT DISTRICT MAY IMPOSE AND LEVY TAXES OR ASSESSMENTS, OR BOTH TAXES AND ASSESSMENTS, ON THIS PROPERTY. THESE TAXES AND ASSESSMENTS PAY THE CONSTRUCTION, OPERATION AND MAINTENANCE COSTS OF CERTAIN PUBLIC FACILITIES AND SERVICES OF THE DISTRICT AND ARE SET ANNUALLY BY THE GOVERNING BOARD OF THE DISTRICT. THESE TAXES AND ASSESSMENTS ARE IN ADDITION TO COUNTY AND OTHER LOCAL GOVERNMENT TAXES AND ASSESSMENTS AND ALL OTHER TAXES AND ASSESSMENTS PROVIDED FOR BY LAW.

IN WITNESS WHEREOF, this Notice has been executed on this 20 day of December, 2022, and recorded in the Official Records of Sarasota County, Florida.


John Luczynski, Chairman


Witness

BRUCE A. MULLEN
Print Name


Witness

Tom Buckley
Print Name

STATE OF FLORIDA
COUNTY OF Sarasota

The foregoing instrument was acknowledged before me by means of ☒ physical presence or ☐ online notarization, this 20 day of December, 2022, by John Luczynski, as Chairman of the Board of Supervisors of the West Villages Improvement District, on its behalf. He ☒ is personally known to me or ☐ produced _____ as identification.




William Ryan Crosley
Notary Public
State of Florida
Comm# HH016312
Expires 8/30/2024


Notary Public, State of Florida

Personally Known ☒
OR Produced Identification _____
Type of Identification _____

EXHIBIT A

LEGAL DESCRIPTION OF UNIT NO. 1, AS AMENDED



DESCRIPTION: WEST VILLAGES IMPROVEMENT DISTRICT UNIT 1 BOUNDARY

PARCEL **

LANDS LOCATED IN TOWNSHIP 39 SOUTH, RANGE 20 EAST, SARASOTA COUNTY, FLORIDA:

That portion of the Southeast Quarter of Section 34, lying West of the Myakka River, South of the South line of lands described in Official Record Instrument No. 2000002794, Public Records of Sarasota County, Florida (River Road Office Park, Inc.), and easterly of the maintained right of way line of a paved road running from River Road to the South line of the Northeast Quarter of said Section 34, (Old River Road), less and except the following:

That portion described in Official Record Instrument No. 1999111633, Public Records of Sarasota County, Florida, (Right of Way for County Road #777).

All of Section 35 lying West of the Myakka River.

LANDS LOCATED IN TOWNSHIP 40 SOUTH, RANGE 20 EAST, SARASOTA COUNTY, FLORIDA:

All of Section 3, lying easterly of the maintained right of way line of County Road No. 777 (South River Road), less and except the following:

That portion conveyed in Order of Taking recorded in Official Record Book 2679, Page 2750-2754, of the Public Records of Sarasota County, Florida (County Road No 777);

All of Section 10, lying easterly of the maintained right of way line of County Road No. 777 (South River Road).

ALSO:

LANDS LOCATED IN TOWNSHIP 39 SOUTH, RANGE 20 EAST, SARASOTA COUNTY, FLORIDA:

All of Section 31, less and except the following:
Right-of-way of U. S. Highway # 41 (State Road # 45).

All of Section 32, less and except the following:
Right-of-way of U. S. Highway # 41 (State Road # 45);
A portion of lands described in Official Records Book 1571, Page 2172 of the Public Records of Sarasota County, Florida, further described as follows:

Commence at the southeast corner of Section 32; thence N.00°30'20"E, along the east line of said Section 32, a distance of 1,403.73 feet to the POINT OF BEGINNING; thence N.89°29'35"W., a distance of 410.09 feet; thence N.00°30'25"E, a distance of 3,763.86 feet to the point of curvature of a non-tangent curve to the right, having a radius of 5,603.58 feet and a central angle of 01°13'57"; thence Easterly along the arc of said curve, a distance of 120.55 feet, said curve having a chord bearing and distance of S.64°00'58"E, 120.54 feet, to the point of tangency of said curve; thence S.00°30'25"W., a distance of 1,315.78 feet; thence S.89°29'35"E, a distance of 290.03 feet to said east line of Section 32; thence S.00°30'20"W, along said east line, a distance of 2,436.60 feet to the POINT OF BEGINNING.

LANDS LOCATED IN TOWNSHIP 40 SOUTH, RANGE 20 EAST, SARASOTA COUNTY, FLORIDA:

That portion of Section 3, lying westerly of the maintained Right-of-way line of County Road #777 (South River Road), less and except the following:

That portion conveyed in Official Record Instrument No. 2000002794 of the Public Records of Sarasota County, Florida, (River Road Office Park, Inc.).

All of Section 4, Less and except the following:

That portion described in Official Record Instrument No. 2000002794, of the Public Records of Sarasota County, Florida, (River Road Office Park, Inc.).

All of Section 5.

All of Section 6.

This is NOT a Survey

FOR: WEST VILLAGES IMPROVEMENT DISTRICT May 25, 2022 - 10:46:54 EDWERNY:\2156\active\215613193\survey\drawing\215613193v-spex03_cmk.dwg

EXHIBIT OF
WEST VILLAGES IMPROVEMENT DISTRICT, UNIT 1
TOWNSHIPS 39 & 40 SOUTH, RANGE 20 EAST,
SARASOTA COUNTY, FLORIDA



Stantec

6000 Professional Parkway East, Sarasota, FL 34240-6414
Phone 941-807-6600 • Fax 941-807-6810
Certified as Accredited ISO 9001 • www.stantec.com
• Former Barton Malow 1988

TASK CODE: 210	DRAWN BY: EDW	CHECKED BY: JRJ	CAD FILE: 215613193v-spex03	PROJECT NO: 215613193	SHEET 2 OF 6	DRAWING INDEX NO: 215613193v-spex03	REV:
-------------------	------------------	--------------------	--------------------------------	--------------------------	-----------------	--	------

All of Section 7.

All of Section 8.

All of Section 9.

That portion of Section 10, lying westerly of the maintained right-of-way for County Road # 777 (South River Road)

ALSO;

PARCEL "C"

LANDS LOCATED IN TOWNSHIP 39 SOUTH, RANGE 20 EAST, SARASOTA COUNTY, FLORIDA:

All of Section 29, less and except the following:

The Easterly 1670.80 feet thereof as measured perpendicular to the East line of said Section 29; Right-of-way for U.S. Highway #41 (State Road #45).

All of Section 30, less and except the following:

Right-of-way for U.S. Highway #41 (State Road #45);

That portion conveyed to Florida Power and Light Company consisting of approximately 4.66 acres in the SW1/4 as described in Official Record Book 1036, Page 802, Public Records of Sarasota County, Florida;

That portion lying West of lands described in Official Record Book 1036, Page 802, South of the westerly extension of the North line of said lands described in Official Records Book 1036, Page 802, and North of the northerly Right-of-way line of U.S. Highway #41.

ALSO;

PARCEL D-1

A Parcel of Land lying in Sections 27, 28, 29, 32 and 33, Township 39 South, Range 20 East, Sarasota County, Florida, being more particularly described as follows:

BEGIN at the Northeast Corner of Section 29, Township 39 South, Range 20 East, Sarasota County, Florida; thence N.03°31'35"E., a distance of 648.44 feet to a point on the Southwesterly Right of Way Line of West River Road, (County Road #777) per Florida Department of Transportation Right of Way Map, Section 17502- 2902, Road Plat Book 2, Page 44; thence along said Southwesterly Right of Way Line of West River Road the following Five (5) courses and distances: (1) S.35°54'26"E., a distance of 130.48 feet, (2) thence S.36°46'13"E., a distance of 100.00 feet; (3) thence S.39°37'57"E., a distance of 200.25 feet; (4) thence S.36°46'13"E., a distance of 392.99 feet; (5) thence S.36°46'13"E., a distance of 625.17 feet to a point on the Easterly line of the Westerly 883.58 feet of Section 28, Township 39 South, Range 20 East, Sarasota County, Florida; thence S.02°48'38"E., along the Easterly Line of the Westerly 883.58 feet of said Section 29, and its southerly extension, a distance of 5803.37 feet to a point on the Northerly Right of Way Line of U.S. Highway No. 41, (State Road No. 45) per Florida Department of Transportation Right of Way Map, Section 17010-2508, same being a point on a curve to the left having a radius of 5791.58 feet, a central angle of 18°04'29", a chord bearing of N.80°35'08"W., and a chord length of 1819.46 feet; thence along the arc of said curve an arc length of 1827.03 feet to the end of said curve; thence continue along said Northerly Right of Way Line of U.S. Highway No. 41 following four (4) courses and distances: (1) N.67°02'13"W., a distance of 40.90 feet; (2) thence N.89°38'05"W., a distance of 50.02 feet; (3) thence S.72°44'31"W., a distance of 52.35 feet; (4) thence N.89°38'31"W., a distance of 639.57 feet to a point on the Westerly Line of the Easterly 1670.80 feet of Section 29, Township 39 South, Range 20 East, Sarasota County, Florida; thence N.02°48'38"W., along the Westerly Line of the Easterly 1670.80 feet of said Section 29, a distance of 5223.69 feet to a point on the North Line of said Section 29, Township 39 South, Range 20 East; thence S.89°37'21"E., along said North Line of Section 29, a distance of 1673.39 feet to the POINT OF BEGINNING.

ALSO;

PARCEL D-3

A Parcel of Land lying in Sections 32 and 33, Township 39 South, Range 20 East, Sarasota County, Florida, being more particularly described as follows:

COMMENCE at the Northeast Corner of Section 32, Township 39 South, Range 20 East, Sarasota County Florida; thence S.00°30'20"W., along the East Line of said Section 32, a distance of 200.54 feet to a point on the Southerly Right of Way Line of U.S. Highway No.41 (State Road No. 45), per Florida Department of Transportation Right of Way Map, Section 17010-2508, same being a point on a curve to the left

This is NOT a Survey

FOR: WEST VILLAGES IMPROVEMENT DISTRICT

May 25, 2022 - 10:46:54

E:\MEAN\2156\active\215613193\survey\drawing\215613193v-spex03_revA.dwg

EXHIBIT OF
WEST VILLAGES IMPROVEMENT DISTRICT, UNIT 1
TOWNSHIPS 39 & 40 SOUTH, RANGE 20 EAST,
SARASOTA COUNTY, FLORIDA



Stantec

1800 Professional Parkway East, Sarasota, FL 34240-8414
Phone: 941-907-8800 • Fax: 941-907-8810
Certificate of Authorization 02703 • www.stantec.com
Licensed Professional Engineer 1700

TASK CODE: 210	DRAWN BY: EDM	CHECKED BY: JRW	CAD FILE: 215613193v-spex03	PROJECT NO: 215613193	SHEET 3 OF 6	DRAWING INDEX NO: 215613193v-spex03	REV:
-------------------	------------------	--------------------	--------------------------------	--------------------------	-----------------	--	------

having a radius of 5603.58 feet, a central angle of 02°59'30", a chord bearing of N.81°54'15"W., and a chord length of 292.55 feet; thence along the arc of said curve and the Southerly Right of Way of said U.S. Highway No. 41, an arc length of 292.55 feet to the POINT OF BEGINNING, same being a point on the East Line of a 120 foot wide perpetual Non-Exclusive easement as recorded in Official Records Book 2785, Page 641, per Public Records of Sarasota County, Florida; thence S.03°30'25"W., along the East Line of said 120 foot wide perpetual Non-Exclusive easement, a distance of 1315.78 feet to a point on the Northerly Line of Lands of Manatee Community College described in Official Records Book 1571, Page 2172, per Public Records of Sarasota County, Florida; thence S.83°29'35"E., along said Northerly Line of Manatee Community College, a distance of 999.98 feet to a point on the West Line of a 200 foot wide Access Easement per Official Records Book 1571, Pages 2172 through 2175 and Official Records Book 2389, Pages 528 through 530 per Public Records of Sarasota County, Florida; thence N.03°30'25"E., along the West Line of said 200 foot Wide Access Easement, a distance of 1109.46 feet to a point on said Southerly Right of Way of U.S. Highway No.41, same being a point on a curve to the left having a radius of 5597.58 feet, a central angle of 04°30'38", a chord bearing of N.75°11'44"W., and a chord length of 440.55 feet; thence along the arc of said curve and said Southerly Right of Way an arc length of 440.66 feet to the end of said curve, thence N.12°32'57"E., a distance of 6.00 feet to the point of curvature of a curve to the left having a radius of 5603.58 feet, a central angle of 05°56'57", a chord bearing of N.80°25'31"W., and a chord length of 581.58 feet; thence along the arc of said curve an arc length of 581.84 feet to the POINT OF BEGINNING.

ALSO;

PARCEL "E"

A Parcel of Land lying in Sections 28 and 33, Township 39 South, Range 20 East, Sarasota County, Florida, being more particularly described as follows:

COMMENCE at the Southwest Corner of Section 28, Township 39 South, Range 20 East, thence S.89°44'12"E., along the South Line of said Section 28, a distance of 894.65 feet to the POINT OF BEGINNING, same being a point on the Easterly Line of the Westerly 883.58 feet of Section 28, Township 39 South, Range 20 East; thence S.02°48'38"E., along said Easterly Line of the Westerly 883.58 feet, a distance of 227.61 feet to a point on the Northerly Right of Way Line of U.S. Highway No. 41, (State Road No. 45) per Florida Department of Transportation Right of Way Map, Section 17010-2508; thence EAST, a distance of 3489.12 feet to a point on the Westerly Right of Way Line of West River Road, (County Road #777) per Florida Department of Transportation Right of Way Map, Section 17502-2902, Road Plat Book 2, Page 44; thence N.35°45'13"W., along said Westerly Right of Way Line of West River Road, a distance of 6238.56 feet; to a point on the Easterly Line of the Westerly 883.58 feet of Section 28; thence S.02°48'38"E., along said Easterly Line of the Westerly 883.58 feet of Section 28, a distance of 4775.76 feet to the POINT OF BEGINNING.

ALSO;

PARCEL F-1

A Parcel of Land lying in Section 33, Township 39 South, Range 20 East, Sarasota County, Florida, being more particularly described as follows: COMMENCE at the East Quarter Corner of Section 33, Township 39 South, Range 20 East, Sarasota County Florida; thence S.00°16'32"W., along the East line of said Section 33, a distance of 289.09 feet to a point on the Southerly Right of Way Line of U.S. Highway No.41, (State Road No. 45), per Florida Department of Transportation Right of Way Map, Section 17010-2508, same being a point on a curve to the right having a radius of 3011.73 feet, a central angle of 24°38'49", a chord bearing of N.66°51'58"W., and a chord length of 5032.71 feet; thence along the arc of said curve and said Southerly Right of Way of U.S. No. 41, an arc length of 1313.08 feet to the point of tangency of said curve; thence N.54°22'31"W., along said Southerly Right of Way, a distance of 66.57 feet to the POINT OF BEGINNING, same being the Northwest corner of Lands described in Official Records Instrument #1998166153, per Public Records of Sarasota County, Florida; thence along the Westerly line of said Lands described in Official Records Instrument #1998166153 the following three (3) courses and distances: (1) S.35°37'26"W., a distance of 161.93 feet to the point of curvature of a curve to the right having a radius of 5597.58 feet, a central angle of 29°49'56", a chord bearing of S.80°32'24"W., and a chord length of 288.28 feet; (2) thence along the arc of said curve an arc length of 291.56 feet to the end of said curve; (3) thence S.80°01'27"W., a distance of 1074.23 feet; thence N.43°24'50"W., leaving said Westerly Line, a distance of 2914.39 feet to the Northeast corner of Lands described as Manatee Community College per Official Records Book 1571, Page 2172, same being the point of curvature of a curve to the left having a radius of 4577.37 feet, a central angle of 06°20'23", a chord bearing of N.60°42'02"W., and a chord length of 506.22 feet; thence along the arc of said curve and Northerly Line of Lands described as Manatee Community College, an arc length of 506.48 feet to the end of said curve, same being the Southeast corner of lands described in Official Records Book 2389, Page 529, Public Records of Sarasota County, Florida; thence N.65°18'18"E., along the Easterly Line of said lands described in Official Records Book 2389, Page 529, a distance of 188.09 feet; thence continue N.00°08'19"W., along said Easterly Line, a distance of 144.56 feet to the Northeast corner of said Lands; thence N.65°21'46"W. along the Northerly Line of said Lands, a distance of 400.68 feet to the Northwest corner of said Lands, same being a point on the Easterly Line of a 200 foot wide Access Easement per Official Records Book 1571, Pages 2172 through 2175 and Official Records Book 2389, Pages 528 through 530, Public Records of Sarasota County, Florida; thence N.00°30'25"E., along the Easterly Line of said 200 foot wide Access Easement, a distance of 785.89 feet to the Southerly Right of Way of U.S. No. 41, (State Road No. 45), same being a point on a curve to the right having a radius of 5597.58 feet, a central angle of 03°08'33", a chord bearing of S.60°13'16"E., and a chord

This is NOT a Survey

FOR WEST VILLAGES IMPROVEMENT DISTRICT May 25, 2022 = 16:46:54 EDWEL\A\2156\active\215613193\survey\drawing\215613193-spex03_revA.dwg

EXHIBIT OF WEST VILLAGES IMPROVEMENT DISTRICT, UNIT 1 TOWNSHIPS 39 & 40 SOUTH, RANGE 20 EAST, SARASOTA COUNTY, FLORIDA		 Stantec 900 Professional Parkway East, Fort Myers, FL 34203-1414 Phone 941-837-8800 • Fax 941-837-8810 Certified as Accredited ISO 9001 • www.stantec.com Equal Opportunity Employer					
TASK CODE: 210	DRAWN BY: EDM	CHECKED BY: JRW	CAD FILE: 215613193-spex03	PROJECT NO: 215613193	SHEET 4 OF 6	DRAWING INDEX NO: 215613193-spex03	REV:

feet; thence along the arc of said curve an arc length of 307.01 feet to the end of said curve; thence continue along said Southerly Right of Way Line the following fourteen (14) courses and distances: (1) S.22°19'13"W., a distance of 10.00 feet to a point on a curve to the right having a radius of 5587.58 feet, a central angle of 00°45'15", a chord bearing of S.67°16'21"E., and a chord length of 73.55 feet; (2) thence along the arc of said curve an arc length of 73.55 feet to the end of said curve; (3) thence N.23°06'16"E., a distance of 10.00 feet to a point on a curve to the right having a radius of 5587.58 feet, a central angle of 00°17'44", a chord bearing of S.62°44'52"E., and a chord length of 889.74 feet; (4) thence along the arc of said curve an arc length of 810.45 feet to the end of said curve; (5) thence S.31°08'37"W., a distance of 10.00 feet to a point on a curve to the right having a radius of 5587.58 feet, a central angle of 00°45'12", a chord bearing of S.58°13'22"E., and a chord length of 73.47 feet; (6) thence along the arc of said curve an arc length of 73.47 feet to the end of said curve; (7) thence N.32°24'25"E., a distance of 10.00 feet to a point on a curve to the right having a radius of 5587.58 feet, a central angle of 05°28'13", a chord bearing of S.55°06'38"E., and a chord length of 338.98 feet; (8) thence along the arc of said curve an arc length of 339.03 feet to the end of said curve; (9) thence S.56°35'34"E., a distance of 153.08 feet; (10) thence S.54°22'31"E., a distance of 1102.52 feet; (11) thence S.51°00'40"E., a distance of 101.66 feet; (12) thence S.54°20'43"E., a distance of 199.02 feet; (13) thence S.48°43'03"E., a distance of 103.71 feet; (14) thence S.54°22'31"E., a distance of 447.75 feet to the POINT OF BEGINNING.

ALSO:

PARCEL F-2

A Parcel of Land lying in Sections 33 and 34, Township 39 South, Range 20 East, Sarasota County, Florida, being more particularly described as follows:

BEGIN at the East Quarter Corner of Section 33, Township 39 South, Range 20 East, Sarasota County, Florida; thence S.00°16'02"W., along the East line of said Section 33, a distance of 81.44 feet to a point on the Northerly Right of Way Line of U.S. Highway No.41, (State Road No. 45), per Florida Department of Transportation Right of Way Map, Section 17030-2508, same being a point on a curve to the right having a radius of 2807.73 feet, a central angle of 24°13'02", a chord bearing of N.66°29'02"W., and a chord length of 1177.92 feet; thence along the arc of said curve and said Northerly Right of Way Line of U.S. Highway No.41, an arc length of 1186.74 feet to the point of tangency of said curve; thence continue along said Northerly Right of Way Line of U.S. Highway No. 41, the following Ten (10) courses and distances: (1) N.54°22'31"W., a distance of 2172.53 feet to the point of curvature of a curve to the left having a radius of 5791.58 feet, a central angle of 03°43'16", a chord bearing of N.58°14'10"W., and a chord length of 376.08 feet; (2) thence along the arc of said curve an arc length of 376.14 feet to the end of said curve; (3) thence N.31°53'05"E., a distance of 16.00 feet to a point on a curve to the left having a radius of 5807.58 feet, a central angle of 00°30'09", a chord bearing of N.58°20'53"W., and a chord length of 50.85 feet; (4) thence along the arc of said curve an arc length of 50.55 feet to the end of said curve; (5) thence S.31°21'44"W., a distance of 16.00 feet to a point on a curve to the left having a radius of 5791.58 feet, a central angle of 08°17'48", a chord bearing of N.62°44'51"W., and a chord length of 837.92 feet; (6) thence along the arc of said curve an arc length of 838.65 feet to the end of said curve; (7) thence N.23°06'15"E., a distance of 16.00 feet to a point on a curve to the left having a radius of 5807.58 feet, a central angle of 00°45'12", a chord bearing of N.67°16'21"W., and a chord length of 76.37 feet; (8) thence along the arc of said curve an arc length of 76.37 feet to the end of said curve; (9) thence S.22°21'03"W., a distance of 16.00 feet to a point on a curve to the left having a radius of 5791.58 feet, a central angle of 03°54'55", a chord bearing of N.69°36'26"W., and a chord length of 395.72 feet; (10) thence along the arc of said curve an arc length of 395.73 feet to the end of said curve; thence N.90°00'00"E., leaving said Northerly Right of Way Line of U.S. Highway No.41, a distance of 3489.12 feet to a point on the Southwesterly Right of Way Line of West River Road (County Road #777), per Florida Department of Transportation Right of Way Map, Section 17502-2907, Plat Book 2, Page 44; thence S.38°46'13"E., along the Southwesterly Right of Way Line of said River Road, a distance of 2226.55 feet; thence N.89°48'07"W., leaving said Southerly Right of Way Line, a distance of 421.78 feet to a point on the East Line of Section 33, Township 39 South, Range 20 East, Sarasota County, Florida; thence S.00°58'25"W., along the East Line of said Section 33, a distance of 659.46 feet to the POINT OF BEGINNING.

ALSO:

PARCEL M-*

A portion of Sections 33 and 34, Township 39 South, Range 20 East, Sarasota County, Florida, being more particularly described as follows:

BEGIN at the Southeast corner of Section 32, Township 39 South, Range 20 East; thence N.00°30'20"E., along the East line of said Section 32, a distance of 1,403.73 feet to the south boundary line of lands described in Official Records Book 1571 at Page 2172, of the Public Records of Sarasota County, Florida; thence along said south boundary line and the east boundary line of said lands described in Official Records Book 1571, at Page 2172 the following two (2) courses: (1) S.89°29'35"E., a distance of 1550.12 feet; (2) thence N.00°30'25"E., a distance of 2062.70 feet to the Northeast corner of said lands; thence S.48°24'58"E., a distance of 2914.38 feet to the Southwest corner of lands described in Official Records Instrument 1998'66'54, of the Public Records Sarasota County, Florida; thence along the boundary of said lands described in Official Records Instrument 1998'66'54 the following three (3) courses: (1) S.89°58'33"E., a distance 676.50 feet; (2) thence

This is NOT a Survey

FOR WEST VILLAGES IMPROVEMENT DISTRICT

May 29, 2022 - 16:46:54

EDMERA\215613193\active\215613193\survey\drawing\215613193--spex03_res4.dwg

EXHIBIT OF
WEST VILLAGES IMPROVEMENT DISTRICT, UNIT 1
TOWNSHIPS 39 & 40 SOUTH, RANGE 20 EAST,
SARASOTA COUNTY, FLORIDA



Stantec

800 Professional Parkway East, Sarasota, FL 34240-4614
Phone 941-807-6600 • Fax 941-807-6610
Customers & Vendors 813-751 • www.stantec.com
© 2022 Stantec Services LLC

TASK CODE: 210	DRAWN BY: EDM	CHECKED BY: JRF	CAD FILE: 215613193--spex03	PROJECT NO: 215613193	SHEET 5 OF 6	DRAWING INDEX NO: 215613193--spex03	RDR:
-------------------	------------------	--------------------	--------------------------------	--------------------------	-----------------	--	------

N.00°01'27"E, a distance of 752.33 feet; (3) thence N.28°06'22"E, a distance of 362.06 feet to a point on the southerly right of way line of U.S. Highway No. 41, as per Florida Department of Transportation Right of Way Map, Section 17010-2508, said point being on a curve concave to the northeast and having a radius of 3011.73 feet, a central angle of 14°26'18", a chord bearing of S.32°07'12"E and a chord distance of 758.67 feet; thence in an easterly direction, along the arc of said curve, an arc distance of 760.09 feet to a point on the West line of Section 34, Township 39 South, Range 20 East, Sarasota County, Florida; thence S.00°16'02"W, along the West line of said Section 34, and leaving said southerly right of way line, a distance of 378.82 feet; thence S.89°37'27"E, a distance of 1329.80 feet to a point on the westerly right of way line of County Road #777 (South River Road) as per Florida Department of Transportation Right of Way Map, Section 17550-2681; thence along said westerly right of way line, the following six (6) courses; (1) S.00°07'30"W, a distance of 5.48 feet; (2) thence S.89°23'52"E, a distance of 9.74 feet; (3) thence S.36°39'07"E, a distance of 64.16 feet to the point of curvature of a circular curve to the right, having a radius of 5599.32 feet, a central angle of 02°00'54", a chord bearing of S.35°38'40"E and a chord distance of 196.80 feet; (4) thence southeasterly, along the arc of said curve, an arc distance of 195.81 feet to the end of said curve; (5) thence N.55°21'47"E, radial to the last described curve, a distance of 20.80 feet to a point on a curve concentric with the last described curve and having a radius of 5619.32 feet, a central angle of 18°31'38", a chord bearing of S.26°52'28"E and a chord distance of 1517.98 feet; (6) thence in a southerly direction along the arc of said curve, an arc distance of 1522.64 feet to the Northeast corner of lands described in Official Records Instrument 2000062794, of the Public Records Sarasota County, Florida; thence S.78°41'04"W, along the northerly line of said lands described in Official Records Instrument 2000062794, a distance of 2240.20 feet to the Southeast corner of Section 33, Township 39 South, Range 20 East, Sarasota County, Florida; thence N.89°39'52"W, along the South line of said Section 33, a distance of 5318.60 feet to the POINT OF BEGINNING.

AND ALSO:

PARCEL ORI 2017060110 (aka DIOCESE PARCEL)

A portion of Section 33, Township 39 South, Range 20 East, Sarasota County, Florida, being more particularly described as follows:

Commence at the East Quarter corner of Section 33, Township 39 South, Range 20 East, Sarasota County, Florida (DNH certified corner vested #4526); thence S.00°14'28"W, along the East line of the Southeast Quarter of said Section 33, a distance of 269.02 feet to a point on the southerly right of way line of U.S. Highway No. 41 (State Road No. 45) (204 feet wide), same being a point on a curve to the right, having a radius of 3011.73 feet, a central angle of 14°28'16", a chord bearing of N.72°08'43"W, and a chord length of 758.65 feet; thence along said southerly right of way line, along the arc of said curve, an arc length of 760.67 feet to the POINT OF BEGINNING; thence S.28°04'55"W, leaving said southerly right of way line, a distance of 362.11 feet; thence SOUTH, a distance of 752.33 feet; thence WEST, a distance of 676.53 feet; thence NORTH, a distance of 1074.28 feet to a point on a curve to the left, having a radius of 560.08 feet, a central angle of 29°49'56", a chord bearing of N.50°30'57"E, and a chord length of 288.29 feet; thence along the arc of said curve, an arc length of 291.56 feet to the point of tangency of said curve; thence N.35°35'59"E, a distance of 161.97 feet to a point on said southerly right of way line of U.S. Highway No. 41; thence S.54°24'01"E, along said southerly right of way line, a distance of 66.57 feet to the point of curvature of a curve to the left, having a radius of 3011.73 feet, a central angle of 18°30'33", a chord bearing of S.56°39'16"E and a chord length of 551.64 feet; thence continue along said southerly right of way line, along the arc of said curve, an arc length of 552.42 feet to the POINT OF BEGINNING.

Overall Parcel contains 8480.6592 acres, more or less.

This is NOT a Survey

FOR: WEST VILLAGES IMPROVEMENT DISTRICT

May 25, 2022 - 18:46:34

\\E:\EIA\p\215613193\action\215613193\survey\drawing\215613193-spex03_rev4.dwg

EXHIBIT OF
WEST VILLAGES IMPROVEMENT DISTRICT, UNIT 1
TOWNSHIPS 39 & 40 SOUTH, RANGE 20 EAST,
SARASOTA COUNTY, FLORIDA



Stantec

1800 Professional Parkway East, Sarasota, FL 34240-8814
Phone: 941-827-8800 • Fax: 941-827-8810
Certified as a Surveying Firm (S) • www.stantec.com
Licenses: Professional Surveyor 1788

TASK CODE: 710	DRAWN BY: EDM	CHECKED BY: JRU	CAD FILE: 215613193v-spex03	PROJECT NO: 215613193	SHEET 6 OF 6	DRAWING INDEX NO: 215613193v-spex03	REV:
-------------------	------------------	--------------------	--------------------------------	--------------------------	-----------------	--	------